

COMPREHENSIVE INSTALLATION SYSTEM
COLD STORES / BAKERIES / WAREHOUSES

upp®
SYSTEM

Ultra Power
SYSTEMY PÓLKOWE

ULTRAPOWER.PL

COMPREHENSIVE SYSTEM OF BUILT-IN SHELVING AND STORAGE

ULTRA POWER

is a brand of Installation and Storage System, because using our products, you can have installations in 90% of the spaces in your company, without resorting to other solutions. The entire system consists of two product lines:

CHROME

made of steel coated with 3-fold chrome plating. Designed for "dry" installation in any room in which we want to store various products and materials. That is, practically any room in your company, such as: office, warehouse, back office, lobby, social rooms, basement and many others. Within this line, ready-made product proposals have been created, such as :

- Stationary racks + "add-on" racks for building sequences (with any number of shelves)
- Bakery carts for cooling bread, valued and used in bakeries for more than 16 years
- Carts for various purposes (waiters' carts, catering carts, handy carts, wardrobe carts, etc.)
- Wall-mounted shelves, mounted on any wall in places where a stationary rack is not appropriate

**With many accessories available, the range of configurations and applications continues to expand.*

noMICRO

made of galvanized steel, coated with a green coating of hardened epoxy resin with antibacterial properties. Designed for all "wet" installations, i.e. cold stores, freezers, kitchens, swimming pools and wherever there is water. The line is resistant to rust and adverse weather conditions. The racks can operate at temperatures from -40 to 200 degrees Celsius.

All in one place:

- Fast order processing
- Lower price
- Convenience in terms of later modifications
- Easy access to spare parts
- Uniform guarantee
- Cheaper system expansion





CHROME RACKS

The innovative storage racking system with high load resistance and very simple installation is a system solution that can be implemented in a short period of time in any enterprise. It combines modern styling open mesh construction – in high quality Chromium coating – and tremendous flexibility due to the possibility of combining shelves into sequences, adding and removing shelves, using different heights and add-ons to increase the functionality of the system.

CHROME RACKS

- **You assemble one rack in minutes**
installation in 3 repetitive steps
- **Adjustable shelves**
in the rack we can place shelves at any height every 2.5cm
- **You can easily install the racks in the corners of a room, you can create elaborate racking strings**
14 shelf sizes available
- **Huge carrying capacity : 270kg/ 1 shelf, 950kg/ rack**
this is the actual load capacity of a single shelf, where the weight is distributed evenly
- **Very good air circulation thanks to the mesh construction**

4-shelf RACKS and shelves

4-SHELF RACKS*

Size D / W	H	H	H	H
Racks with a depth of 36 cm				
36 x 61 x	x 137cm	x 160cm	x 182cm	x 200cm
36 x 92 x	x 137cm	x 160cm	x 182cm	x 200cm
36 x 122 x	x 137cm	x 160cm	x 182cm	x 200cm
36 x 152 x	x 137cm	x 160cm	x 182cm	x 200cm
Racks with a depth of 46 cm				
46 x 61 x	x 137cm	x 160cm	x 182cm	x 200cm
46 x 92 x	x 137cm	x 160cm	x 182cm	x 200cm
46 x 107 x	x 137cm	x 160cm	x 182cm	x 200cm
46 x 122 x	x 137cm	x 160cm	x 182cm	x 200cm
46 x 152 x	x 137cm	x 160cm	x 182cm	x 200cm
Racks with a depth of 61 cm				
61 x 61 x	x 137cm	x 160cm	x 182cm	x 200cm
61 x 92 x	x 137cm	x 160cm	x 182cm	x 200cm
61 x 107 x	x 137cm	x 160cm	x 182cm	x 200cm
61 x 122 x	x 137cm	x 160cm	x 182cm	x 200cm
61 x 152 x	x 137cm	x 160cm	x 182cm	x 200cm
61 x 183 x	x 137cm	x 160cm	x 182cm	x 200cm
Basket racks				
46 x 61 x	x 137cm	x 160cm	x 182cm	x 200cm
46 x 92 x	x 137cm	x 160cm	x 182cm	x 200cm
Wine rack				
46 x 92 x	x 137cm	x 160cm	x 182cm	x 200cm


ADDITIONAL SHELVES FOR RACKS

Size D / W
36 x 61
36 x 92
36 x 122
36 x 152
46 x 61
46 x 92
46 x 107
46 x 122
46 x 152
61 x 61
61 x 92
61 x 107
61 x 122
61 x 152
61 x 183

WINE SHELF

Size D / W
W1836CW 46x92cm

Shelf with specially shaped wire for bottles.
Can be combined in one rack with regular shelves.



RACK POSTS

Size Height
91cm
137cm
160cm
182cm
200cm




BASKET SHELF

Size D / W
W1824BT 46x61cm
W1824BT 46x92cm

Shelf with a 10 cm rim. You can combine regular and basket shelves in a single rack.



SCAN THE CODE
AND CHECK
THE PRICES



SHELF PANELS

are shelf stops, mounted on their edge. They reduce the possibility of products sliding off the rack.

Symbol	Size H / W
CWL-010	5 x 36cm
CWL-05	5 x 46cm
CWL-06	5 x 61cm
CWL-01	5 x 92cm
CWL-02	5 x 122cm
CWL-03	5 x 152cm

SHELF CONNECTOR

It is used to connect (hang) shelves on racks to create strings.

Symbol	Size
ST-030	set of 4 pcs



WHEELS


in two versions of diameter and load strength, set of 4 pcs.

Symbol	Diameter/Durability
CC-02	8cm / 130kg
CC-06	13cm / 330kg

POST EXTENSION

is used to increase the height of the 182cm and 200cm posts


Symbol	Size
PX24C	60 cm



RAIL

with its help you can create, for example, a waiter's cart

Symbol	Size
CSF-14	36cm
CSF-18	46cm
CSF-24	61cm




SCAN THE CODE
AND CHECK
THE PRICES

CHROME RACKS ACCESSORIES

WARDROBE RACK

allows you to create a closet rack with a suspension for hangers. Their lengths correspond to the length of the shelves to which it fits.

Symbol	Size
CHP-02	92cm
ST-005	122cm



PRICE HOLDER

Symbol	Size
ABM3	7,5cm



PARTITION

is used to divide a shelf in a rack into parts, for example, when there are several different assortments on one shelf


Symbol	Size
CSD-14	20 x 36cm
CSD-18	20 x 46cm
CSD-24	20 x 61cm



COUPLER

allows you to connect 2 racks together

Symbol	Size
CPC-01	-



HANDLE (ANCHOR)

allows you to attach the rack to the wall (for example, if it is too high)

Symbol	Size
AW2C	-



SLOPING HANGER

Symbol	Size
HK-08	20cm



SCAN THE CODE
AND CHECK
THE PRICES

CHROME RACKS

ACCESSORIES



SCAN THE CODE
AND CHECK
THE PRICES

SHELF FIXING


is used to attach shelves to posts. Comes as standard with the ordered racks and shelves

Symbol	Size
ST-006	-



MOUNT + SHELF (set)


Size D / W
36 x 61
36 x 92
36 x 122
36 x 152
46 x 61
46 x 92
46 x 107
46 x 122
46 x 152
61 x 61
61 x 92
61 x 107
61 x 122
61 x 152
61 x 183



WALL MOUNT (set 2 pcs.)

special brackets that allow you to mount any shelf from the offer to the wall. without the use of posts, the installation is carried out using dowels.

Symbol	Size
SL-14	36cm
SL-18	46cm
SL-24	61cm



→ Racks can be ordered with any number of shelves at no extra cost

→ Additional accessories can be applied to all racks and shelves to increase the functionality of the racks

CHROME WIRE SHELVING

INCREASE YOUR STORAGE SPACE!

01 GASTRONOMY



Do you want to ensure the safety of your customers, the comfort of your employees in the performance of their duties and decide on a good investment? Besides food processing equipment, chrome racks are the most important element of a kitchen, a cold store, a bakery, a backroom. They provide food, ingredients, semi-finished products with the right conditions in the production process!

02 WAREHOUSE




Looking at our customers, we find that expanding your warehouse is a great proof of your business success! Ultra Power chrome shelving is a shelving system, a modular solution that will grow, adapting, at any time, to changing storage areas and stock levels. Remember the future!

03 SHOPS



Adequate equipment of a shop, market hall or backroom allows quick organisation of work, easy and comfortable finding, inserting and removing of goods. In addition, the attractive appearance of the chrome-plated surface of the metal rack extends its function from storage to display, if necessary! Invest in business with us!



04 HOTELS, APPARTMENS, OFFICES



In every place where you function, storage space comes in handy. You need to organise documents, accessories, textiles and extras and ensure they are easy to find. As your business grows or your family expands, these needs increase. At Ultra Power we offer you chrome shelving to expand in the future.

05 HEALTHCARE



Hospitals, medical laboratories and other centres providing health-related services require dedicated equipment. Chrome-plated shelving will ensure the necessary accessories, supplies and medicines are safely stored and conveniently organised. Corrosion-resistant with a special coating, they are the best choice!

06 FLORISTIS



The beauty of plants is maintained in exceptional conditions, which is why an ordinary metal shelving unit will not always work. Chrome-plated shelving, on the other hand, protected against corrosion, will not only look attractive in a humid environment, but will also prove to be a long-term good business investment. Choose Ultra Power modular shelving systems - the solution to expand!



RACKS FOR USE IN **HEALTHCARE FACILITIES:**

- / DRUG STORAGE WAREHOUSES
- / OPERATING THEATRES
- / CARTS FOR CARRYING BEDDING
- / CARTS FOR DISTRIBUTING FOOD TO PATIENT ROOMS
- / RACKS FOR GENERAL USE IN KITCHENS
- / DENTAL OFFICES

The systems we offer in terms of design solutions provide universal expansion possibilities.

Dozens of racks in various sizes can be built from our shelving system. Assembly and disassembly in a very short time, requires no tools and is fully scalable.



A LIST OF POSSIBLE HOSPITAL ROOMS **TO BE EQUIPPED:**

- I. Admissions and Emergency Department.
- II. Unified hospital (bed) wards.
- III. Anesthesiology and intensive care unit.
- IV. Dialysis station.
- V. Operating theater.
- VI. Central sterilization room.
- VII. Kitchen.
- VIII. Laundry.
- IX. Department of Pathomorphology.
- X. Day care team.
- XI. Blood donation center.
- XII. Expedition Department.
- XIII. Quality Assurance Department.



noMICRO shelves FOR COLD STORAGE

WHAT SHOULD YOU EXPECT FROM RACKS DESIGNED FOR **COLD STORAGE**?

Racks for cold storage should, above all, be resistant to moisture and low temperatures (rust protection). However, there are several equally important features that such a rack must meet, and these are:

- Adequate carrying capacity (load bearing capacity)
- Adequate air circulation, to protect against moisture
- Protection against microorganisms (molds, fungi, etc.)
- Stability (safety is paramount)
- Expandability (saves a lot of money)
- Easy installation
- A good price would be the perfect complement

Ultra Power antimicrobial racks for cold storage meet the above requirements in full, because they have the **noMICRO antimicrobial coating** and, in addition, are part of a comprehensive storage system that you can implement very quickly and cheaply in YOUR company (not just in cold storage).

The noMICRO coating is an anti-bacterial protection, harmless to humans and animals, deadly to bacteria, mold, fungi, etc.




	ULTRA POWER noMICRO	STAINLESS STEEL RACKS	ALUMINUM-POLYPROPYLENE RACKS
STAINLESS	✓	✓	✓
HIGH CARRYING CAPACITY	✓	✓	✓
AIR CIRCULATION	✓		✓
STABILITY	✓	✓	✓
EXPANDABILITY	✓		✓
EASE OF INSTALLATION	✓		✓
ANTIMICROBIAL PROTECTION	✓		
GOOD PRICE	✓		



noMICRO shelves WITH ANTIBACTERIAL COATING

THE MOST IMPORTANT FEATURES OF **noMICRO** COATED RACKS:

- / Zinc + epoxy resin as scratch-resistant corrosion protection
- / NoMICRO coating is anti-bacterial protection, harmless to humans and animals, lethal to Bacteria, mold, fungi, etc.
- / It is resistant to humid weather conditions - it is possible to use in cold stores and freezers
- / Racks coated with a layer of zinc and abrasion-resistant epoxy resin
- / It is 40% cheaper than stainless steel racks
- / Anti-corrosion warranty
- / You assemble one rack in minutes (assembly in 3 repetitive steps)
- / Adjustable shelves: in the rack we can place shelves at any height every 2.5cm
- / You can easily install the racks in the corners of a room, Create elaborate shelving strings (14 sizes of shelves available)
- / Huge carrying capacity: 270kg/ 1 shelf (this is the actual load capacity of a single shelf in which the weight is evenly distributed) 950kg/rack
- / Very good air circulation thanks to the mesh construction



COLD STORAGE

FREEZERS

POOLS

KITCHENS

MOIST ROOMS




HIGH QUALITY WORKMANSHIP - LOWEST PRICE IN POLAND!

METAL RACKS WITH **DOUBLE ANTICOROSION PROTECTION** AND ANTIBACTERIAL **noMICRO** COATING, THE PERFECT ALTERNATIVE FOR STAINLESS STEEL RACKS - **PRICE LOWER BY OVER 40%**

noMICRO shelves WITH ANTIBACTERIAL COATING

4 SHELF RACKS AVAILABLE

No	Assortment		Height	Height
Racks with a depth of 46 cm			x 182cm	x 200cm
1	noMICRO rack (4-shelf)	46x61	x 182cm	x 200cm
2	noMICRO rack (4-shelf)	46x92	x 182cm	x 200cm
3	noMICRO rack (4-shelf)	46x107	x 182cm	x 200cm
4	noMICRO rack (4-shelf)	46x122	x 182cm	x 200cm
5	noMICRO rack (4-shelf)	46x152	x 182cm	x 200cm
Racks with a depth of 61 cm			x 182cm	x 200cm
6	noMICRO rack (4-shelf)	61x92	x 182cm	x 200cm
7	noMICRO rack (4-shelf)	61x107	x 182cm	x 200cm
8	noMICRO rack (4-shelf)	61x122	x 182cm	x 200cm
9	noMICRO rack (4-shelf)	61x152	x 182cm	x 200cm



SCAN THE CODE
AND CHECK
THE PRICES

TIP

It is very easy to create a string of shelves (or a corner). All you need to do is add an "add-on" to the rack. The add-on does not have to have the same number of shelves as the rack, but the shelves must be the same height in the add-on and the rack.

NOTE

Each rack or "add-on" can have any number of shelves. For ease of reference, the price list includes 4-shelf racks. You can add or subtract shelves at the time you buy the rack or in the future when you need to expand.

*Additional shelves can be added to each rack

noMICRO RACKS WITH ANTIBACTERIAL COATING

ADDITIONAL SHELVES AND POSTS

No	Assortment		
1	W1836AG	noMICRO shelf	46x61cm
2	W1836AG	noMICRO shelf	46x92cm
3	W1842AG	noMICRO shelf	46x107cm
4	W1848AG	noMICRO shelf	46x122cm
5	W1860AG	noMICRO shelf	46x152cm
6	W2436AG	noMICRO shelf	61x92cm
7	W2448AG	noMICRO shelf	61x107cm
8	W2448AG	noMICRO shelf	61x122cm
9	W2460AG	noMICRO shelf	61x152cm
10	P72AG	noMICRO post	182cm
11	P78AG	noMICRO post	200cm
12	ST-030	"S" hook for creating strings	



SCAN THE CODE
AND CHECK
THE PRICES



SCAN THE CODE
AND CHECK
THE PRICES



noMICRO cart

3-bay hand cart for the cold store.
freezer or kitchen - 8cm wheels

No	Size
1	46 x 61 x 100cm
2	46 x 92 x 100cm
3	46 x 107 x 100cm
4	46 x 122 x 100cm
5	61 x 92 x 100cm
6	61 x 107 x 100cm
7	61 x 122 x 100cm

CREATE
THE PERFECT
SET

TECHNICAL **INFORMATION**

www.ultrapower.pl

DISTINGUISHING FEATURES OF **ULTRA POWER** PRODUCTS

Mesh parameters: 6.2/6.2/4.6/3.6mm

Maximum load per shelf: **270kg** (evenly distributed weight)

Maximum load per rack: **950 kg**


Shelf height adjustment: every 2.5cm




Horizontal rack adjustment: thanks to expanding leveling feet

Expansion: by adding or subtracting shelves

Connecting into strings: the racks can be connected into strings using the appropriate accessories, or without accessories

Installation: **3** repeatable steps without tools




	Step 1 Unpack all the parts of the posts from the carton, and then connect the part with the height adjuster with the part that has the plastic plug.
	Step 2 We attach the plastic mounting elements of the first shelf onto the posts prepared in this way. Remember to keep each of them at the same height. Proceed exactly as shown in the figure.
	Step 3 Then start putting the shelf on top of the previously attached mounting elements. To attach another shelf repeat step #2. Repeat the activity as many times as you have shelves.
	Step 4 Once all the shelves are in place, they should all be thoroughly tapped decently with a rubber mallet so that they tighten on the fasteners. Tap in the places indicated in the figure, that is in the corners of each shelf.

PARTS LIST IN A 4-ROLLER RACK



Posts – 4pcs.

Sizes 182 cm and 200 cm, packaged in two parts to be connected together (Step 1)



Shelves – 4pcs.

Shelves with lengths of 152cm and 183cm are packed 2pcs. per carton.
Other sizes are packed 4pcs. per carton



Shelf fixing – 16pcs.

Each shelf comes with 4 mounts consisting of 2 halves.



BAKERY CARTS

QUALITY
WARRANTY

BAKERY CARTS

Main benefits for your bakery:

Crispy bread - thanks to the mesh form of the shelves, your bread evaporates evenly from all sides.

Simplified assembly - a perk you will appreciate right after receiving your cart.

Reinforced shelves - guaranteed to withstand heavy loads.

Bearing wheel frame - make the cart roll even better despite heavy loads.

Low-cost expansion - you can increase the capacity of the cart at any time by adding another shelf.

Chrome-plated steel - is not only corrosion protection but a very aesthetic appearance.

Approved for safe contact with food.

High quality guarantees long-term use.
You are buying a cart made to last.

BAKERY



SCAN THE CODE
AND CHECK
THE PRICES

WP-122

cart surface 5,95 m²
H/W/D: 173/122/61cm
8 shelves as standard
Capacity:
- Bread 0,5kg 144 pcs.
- Bread 0,6kg 128 pcs.
each subsequent shelf is an additional 0,75 m²

WP-152

cart surface 7,40 m²
H/W/D: 173/152/61cm
8 shelves as standard
Capacity:
- Bread 0,5kg 176 pcs.
- Bread 0,6kg 160 pcs.
each subsequent shelf is an additional 0,92 m²

WP-183

cart surface 8,93m²
H/W/D: 173/183/61cm
8 shelves as standard
Capacity:
- Bread 0,5kg 208 pcs.
- Bread 0,6kg 192 pcs.
each subsequent shelf is an additional 1,11 m²





FOR STORAGE OF BUNS



ZESKANUJ KOD
I SPRAWDŹ CENY

WB-122

cart surface
H/W/D:
8 shelves as standard

5,95 m²
173/122/61 cm

Each subsequent shelf is an additional

0,75 m²

WB-152

cart surface
H/W/D:
8 shelves as standard

7,40 m²
173/152/61 cm

Each subsequent shelf is an additional

0,92 m²

Low-cost expansion is undoubtedly an important element for any bakery owner. Ultra Power carts will expand with additional modules at any time, even a year or two after their purchase. You may want to increase production. You do not need to purchase an entire cart right away, just one, two or more shelves to add to the one you already have.

We have been focusing on this innovative and modern system of chrome racks and carts for 14 years, so we are committed to offering the highest quality product among others available on the market, and to be at your service whenever you need it.

Choose one of the bread or bun cart models and join the ranks of satisfied users.



RECOGNIZES

Dane dostawcy zostały zamazane z powodu ścisłej tajemnicy handlowej

AS COMPLYING WITH NSF/ANSI 2 AND ALL APPLICABLE REQUIREMENTS.
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



This certificate is the property of NSF International and is to be retained upon request. For the most current and complete information, please consult NSF's website (www.nsf.org).

March 28, 2014
Certification# Q0182392 - 01

Sarah Kroj
Global Marketing Director, Food Safety Product Certification



ŚWIADECTWO JAKOŚCI ZDROWOTNEJ
CERTIFICATE OF HEALTH QUALITY
H-312-0071-0262/16/C

Niniejszym oświadczam się, że stół wyników wyroków
o zadeklarowany przez producenta składnik, wykorzystany zgodnie z przeznaczeniem,
nie stanowi zagrożenia dla zdrowia człowieka.

This is to certify that the below named product,
having composition as declared by the manufacturer, when it is used according to its purpose,
does not pose hazard to human health.

Wyrób/ Product:	regaly metalowe z panelkami z żywicy epoksydowej
Zawierający/ Containing:	zawiera składnik organiczny polistyren żywicy epoksydowej z włókniarzami antystatycznymi – zgodnie z deklaracją producenta

Prezentovaný da/ Derived for: samostojna in skladatelja, instrumentalni, magorovski, kofarinski in korniški s sistemom uplavljanja (ter hupovodnega korniša) s (sistemom) 123

Presidents! [More features...](#)

Świadectwo wydano dla / This certificate is issued to:
FIG Sp. z o.o.
03-938 Warszawa

Niektóre świadczenia może zostać na ustnie lub automatycznie po przedłożeniu odpowiednich dokumentów przez kandydatów, stano. Świadczenie musi zawierać w szczególności wprowadzenie zmian w składzie zarządu lub wchodzący, interesariuszy. Następnie świadczenie musi być zainicjowane zgodnie

This certificate may be corrected or cancelled after appropriate notification is presented. Any change in composition of the above mentioned product or in its manufacturing technology will cause loss of the validity of this certificate. This certificate does not concern the fictional characteristics of the product.

Data wystawienia świadectwa: 2016-11-24

Date of issue: 2018.03.29

(The certificate is valid until 31/12/2014)

www.gutenberg.org

ŚWIADECTWO JAKOŚCI ZDROWOTNEJ
CERTIFICATE OF HEALTH QUALITY

H-HZ-6971-061/18D

Niniejszym zawiadamia się, że niżej wymieniony wyrób
 o zadeklarowanym przeznaczeniu, wykorzystywany zgodnie z przeznaczeniem,
 nie stanowi zagrożenia dla zdrowia człowieka
 This is to certify that the below named product, having composition as declared by the manufacturer
 does not pose hazard to human health when used according to its purpose

Wzrost/Product:	regulę metalowe (x/urowe)
-----------------	---------------------------

Zawierający/Containing: stal węglowa pokryta powłoką miedzi, niklu a następnie chromu

Przeznaczony do/destined for: kontakty z produktami spożywczymi w opakowaniach jednostkowych zamkniętych - wyłącznie

System/Manufacturer:

Niniejszy dokument wydano dla/This certificate was issued to:
FIG Sp. z o.o.
ul. Zwycięzów 28/21, 03-938 Warszawa

Nawet świadek może być zwołany lub uregulować po przedstawieniu odpowiednich dowodów przez przeciwną stronę. Świadek musi wskazać w przypadku wprowadzenia zmian w składzie wyroku lub uchwały, one zostały. Świadek nie dotyczy tych użytecznych wyroku ani spełnia przez niego wyznaczone lub

This certificate may be annulled or cancelled after appropriate evidence is presented by any party. Any change in composition of the above mentioned product or in its manufacturing technology cancels this certificate. This certificate does not concern functional and work safety characteristics of the product.

Optik - Nachrichten in der Optik 2016-04-01

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2016. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

1. *How much time do you spend on this activity?*

tel: 791 Warszawa, ul. Chocimska 24, tel.: +48 22 849 76 12, fax: +48 22 849 74 84,
www.gzh.gov.pl, e-mail: dyrektar@gzh.gov.pl
Regon: 000208461, NIP: 525-090-87-32, PE: 98 1020 1042 0000 K002 0200 0023 (SWIFT CODE): BPKO PL PM





Ultra Power
SYSTEMY PÓLKOWE

ULTRAPOWER.PL

Ultra Power Polska Sp. z o.o.
POLAND, 66-460 Nowiny Wielkie

ul. Główna 28a
Tel. +48 95 720 48 62
e-mail: sales@ultrapower.pl